

```

<?php

/
*****/*
/*
*      Designed by 'AS Designing'
*      Web: http://www.asdesigning.com
*      Web: http://www.astemplates.com
*      License: GNU/GPL
*/
/
*****/*
*****/


defined('_JEXEC') or die;
include ('includes/includes.php');
?>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="php echo $this-&gt;language; ?&gt;" lang="<?php echo $this-&gt;language; ?&gt;"&gt;
&lt;head&gt;

&lt;link rel="apple-touch-icon" href="https://domain.de/apple-touch-icon.png"/&gt;
&lt;link rel="apple-touch-icon" href="touch-icon-iphone.png"&gt;
&lt;link rel="apple-touch-icon" sizes="152x152" href="touch-icon-ipad.png"&gt;
&lt;link rel="apple-touch-icon" sizes="180x180" href="touch-icon-iphone-retina.png"&gt;
&lt;link rel="apple-touch-icon" sizes="167x167" href="touch-icon-ipad-retina.png"&gt;

&lt;meta name="msvalidate.01" content="1684115645720F77848515F91BA51C56" /&gt;
&lt;?php
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/bootstrap.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/style.general.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/tmpl.default.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/media.1200.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/media.980.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/media.767.css');
    $doc-&gt;addStyleSheet('templates/'.$this-&gt;template.'/css/media.480.css');
?&gt;

&lt;meta name="viewport" content="width=device-width, initial-scale=1.0"/&gt;
&lt;jdoc:include type="head" /&gt;

&lt;?php
    $menu = $app-&gt;getMenu();
    $menu_active = $menu-&gt;getActive();
</pre

```

```

$menu_id = 0;
if (JRequest::getVar('view') != 'form')
{
    $menu_id = $menu_active->id;
}

include 'params.php';

echo $bodyfont_arr['fontlink'];
if($hfont_arr['fontlink'] != $bodyfont_arr['fontlink'])
{
    echo $hfont_arr['fontlink'];
}
if(($logo_font_arr['fontlink'] != $hfont_arr['fontlink']) &&
    ($logo_font_arr['fontlink'] != $bodyfont_arr['fontlink']))
{
    echo $logo_font_arr['fontlink'];
}
if(($slogan_font_arr['fontlink'] != $logo_font_arr['fontlink']) &&
    ($slogan_font_arr['fontlink'] != $hfont_arr['fontlink']) &&
    ($slogan_font_arr['fontlink'] != $bodyfont_arr['fontlink']))
{
    echo $slogan_font_arr['fontlink'];
}

if(!$this->params->get('logo_img'))
{
    switch ($tmpl_style)
    {
        case 'style.default.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/default/logo.png';
            break;
        case 'style.orange.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/orange/logo.png';
            break;
        case 'style.forest.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/forest/logo.png';
            break;
        case 'style.silver.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/silver/logo.png';
            break;
        case 'style.sky.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/sky/logo.png';
            break;
        case 'style.teal.css';
            $logo_img    = $this->baseurl . '/templates/' . $this-
>template . '/images/styles/teal/logo.png';
    }
}

```

```

        break;
    }
}

// If Right-to-Left
if ($this->direction == 'rtl')
{
    $doc->addStyleSheet('media/jui/css/bootstrap-rtl.css');
    $doc->addStyleSheet('templates/'.$this->template.'/css/rtl.css');
}

$doc->addStyleSheet('templates/'.$this->template.'/css/'.$tmpl_style);
include 'styles.php';

?>

<link rel="stylesheet" href="<?php echo $this->baseurl ?>/templates/<?php echo $this->template ?>/css/ext.artslider.css" type="text/css" />
<link rel="stylesheet" href="<?php echo $this->baseurl ?>/templates/<?php echo $this->template ?>/css/ext.asmmenu.css" type="text/css" />
<link rel="stylesheet" href="<?php echo $this->baseurl ?>/templates/<?php echo $this->template ?>/css/ext.superfishmenu.css" type="text/css" />
<link rel="stylesheet" href="<?php echo $this->baseurl ?>/templates/<?php echo $this->template ?>/css/ext.phocagallery.css" type="text/css" />
<link rel="stylesheet" href="<?php echo $this->baseurl ?>/templates/<?php echo $this->template ?>/css/style.custom.css" type="text/css" />

<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<script>
(adsbygoogle = window.adsbygoogle || []).push({
    google_ad_client: "ca-pub-9181935368241368",
    enable_page_level_ads: true
});
</script>

<script data-ad-client="ca-pub-9181935368241368" async
src="https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>

</head>

<body class="<?php echo $option . " view-" . $view . " task-" . $task . " itemid-" . $itemid . " body__" . $pageClass;?>">
<div id="wrapper">

    <!-- HEADER
~~~~~ -->
    <?php if ($this->countModules('as-position-3') || $this->countModules('as-position-4')): ?>
    <div id="header-top-row">
        <div class="container">

```

```

<div id="top" class="row">
    <jdoc:include type="modules" name="as-position-3" style="themeHtml5" />
    <jdoc:include type="modules" name="as-position-4" style="themeHtml5" />
</div>
</div>
</div>
<?php endif; ?>

<div id="logo-row">
    <div class="container">
        <div class="row">
            <header>
                <div id="logo" class="span<?php echo $this->params->get('logo_size'); ?>">
                    <?php if($logo_type): ?>
                    <a href="<?php echo $this->baseurl; ?>">
                        " />
                    </a>
                    <?php else: ?>
                <div class="logo">
                    <a href="<?php echo $this->baseurl ?>"><?php echo $logo_txt; ?></a>
                    <div class="slogan">
                        <?php echo $slogan_txt; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
            <?php if ($this->countModules('as-position-1')): ?>
        <div id="navigation-row">
            <div class="row">
                <nav>
                    <jdoc:include type="modules" name="as-position-1"
style="themeHtml5" />
                </nav>
            </div>
        </div>
        <?php endif; ?>
    </header>
    </div>
</div>
</div>

<?php if ($this->countModules('as-position-5')): ?>
<div id="slider-row">
    <div class="wrapper">
        <div class="container">
            <div class="row">
                <jdoc:include type="modules" name="as-position-5" style="themeHtml5" />
            </div>
        </div>
    </div>
</div>
</div>

```

```

<?php endif; ?>

    <?php if ($this->countModules('as-position-2')): ?>
<div id="breadcrumbs-row">
    <div class="container">
        <div class="row">
            <jdoc:include type="modules" name="as-position-2" style="themeHtml5" />
        </div>
    </div>
</div>
<?php endif; ?>

<?php if ($this->countModules('as-position-6')): ?>
<div id="featured-row">
    <div class="container">
        <div class="row">
            <jdoc:include type="modules" name="as-position-6" style="themeHtml5" />
        </div>
    </div>
</div>
<?php endif; ?>

<?php if ($this->countModules('as-position-7')): ?>
<div id="header-bottom-row">
    <div class="container">
        <div class="row">
            <jdoc:include type="modules" name="as-position-7" style="themeHtml5" />
        </div>
    </div>
</div>
<?php endif; ?>
<!-- END OF HEADER
~~~~~ --&gt;

<!-- CONTENT
~~~~~ --&gt;
&lt;div id="content-row"&gt;
    &lt;div class="container"&gt;
        &lt;div class="content-inner row"&gt;

            &lt;!-- COLUMN LEFT
~~~~~ --&gt;
            &lt;?php if((($this-&gt;countModules('as-position-10') || $this-&gt;countModules('as-position-11')) &amp;&amp;
($hideByOption) == false &amp;&amp;
$view !== 'form' &amp;&amp; $layout !== 'edit'): ?&gt;
                &lt;div id="aside-left" class="span&lt;?php echo $aside_left_width; ?&gt;"&gt;
                    &lt;aside&gt;
                        &lt;jdoc:include type="modules" name="as-position-10" /&gt;
</pre>

```

```

        <div id="aside-row-1-left">
            <jdoc:include type="modules" name="as-position-10" style="html5nosize" />
        </div>
        <?php endif; ?>
        <?php if($this->countModules('as-position-11')): ?>
            <div id="aside-row-2-left">
                <jdoc:include type="modules" name="as-position-11" style="html5nosize" />
            </div>
            <?php endif; ?>
        </aside>
    </div>
    <?php endif; ?>
<!-- END OF COLUMN LEFT
~~~~~-->

-->

        <!-- COLUMN MAIN
~~~~~-->
        <div id="component" class="span<?php echo $mainContentWidth; ?>">

            <?php if ($this->countModules('as-position-20')): ?>
            <div id="content-row-1" class="row">
                <div class="content-row-1">
                    <jdoc:include type="modules" name="as-position-20" style="themeHtml5" />
                </div>
            </div>
            <?php endif; ?>
            <?php if ($this->countModules('as-position-21')): ?>
            <div id="content-row-2" class="row">
                <div class="content-row-2">
                    <jdoc:include type="modules" name="as-position-21" style="themeHtml5" />
                </div>
            </div>
            <?php endif; ?>

            <jdoc:include type="message" />
            <jdoc:include type="component" />

            <?php if ($this->countModules('as-position-22')): ?>
            <div id="content-row-3" class="row">
                <div class="content-row-3">
                    <jdoc:include type="modules" name="as-position-22" style="themeHtml5" />
                </div>
            </div>
            <?php endif; ?>

        </div>
        <!-- END OF COLUMN MAIN
~~~~~-->

```

```

        <!-- COLUMN RIGHT
~~~~~ -->
<?php if (($this->countModules('as-position-15') || $this->countModules('as-position-16')) && ($hideByOption) == false &&
$view !== 'form' && $layout !== 'edit'): ?>
    <div id="aside-right" class="span<?php echo $aside_right_width; ?>">
        <aside>
            <?php if($this->countModules('as-position-15')): ?>
                <div id="aside-row-1-right">
                    <jdoc:include type="modules" name="as-position-15" style="html5nosize" />
                </div>
            <?php endif; ?>
            <?php if($this->countModules('as-position-16')): ?>
                <div id="aside-row-2-right">
                    <jdoc:include type="modules" name="as-position-16" style="html5nosize" />
                </div>
            <?php endif; ?>
        </aside>
    </div>
    <?php endif; ?>
<!-- END OF COLUMN RIGHT
~~~~~ -->
</div>
</div>
</div>

<?php if ($this->countModules('as-position-23')): ?>
<div id="content-row-4">
    <div class="container">
        <div class="row">
            <jdoc:include type="modules" name="as-position-23" style="themeHtml5" />
        </div>
    </div>
</div>
<?php endif; ?>

</div>

<!-- FOOTER
~~~~~ -->
<div id="footer">
    <?php if ($this->countModules('as-position-30') || $this->countModules('as-position-31')): ?>
    <div id="footer-row">
        <div class="container">
            <div class="row">
                <?php if ($this->countModules('as-position-30')): ?>
                <div class="footer-row-1">

```

```

        <jdoc:include type="modules" name="as-position-30"
style="themeHtml5" />
        </div>
        <?php endif; ?>
            <?php if ($this->countModules('as-position-31')): ?>
<div class="footer-row-2">
    <?php if ($this->countModules('as-position-30') && $this->countModules('as-
position-31')): ?>
        <div class="footer-row-separator"></div>
        <?php endif; ?>
        <jdoc:include type="modules" name="as-position-31" style="themeHtml5" />
        </div>
        <?php endif; ?>
    </div>
</div>
<?php endif; ?>

<div id="copyright-row">
    <div class="container">
        <div id="trademark">
            Copyright &copy; <?php echo date('Y'); ?> <?php echo $app->getCfg('sitename'); ?>
        </div>
        <div id="copyright-menu" class="row">
            <jdoc:include type="modules" name="as-position-35" style="none" />
        </div>
    </div>
</div>
<!-- END OF FOOTER
~~~~~ -->

<?php if($this->params->get('feature_totop')): ?>
<div id="back-top">
    <a href="#"><span></span><?php echo $this->params->get('feature_totop_text') ?></a>
</div>
<?php endif; ?>

<?php if ($this->countModules('modal')): ?>
<jdoc:include type="modules" name="modal" style="modal" />
<?php endif; ?>

<?php if ($this->countModules('debug')): ?>
<jdoc:include type="modules" name="debug" style="none"/>
<?php endif; ?>

<?php
$doc->addScript($this->baseurl."/media/jui/js/jquery.min.js");
$doc->addScript($this->baseurl."/media/jui/js/bootstrap.js");

$noConflict = "jQuery.noConflict()";

```

```
$doc->addScriptDeclaration($noConflict);

$doc->addScript($this->baseurl.'/templates/'.$this->template.'/js/jquery.isotope.min.js');
$doc->addScript($this->baseurl.'/templates/'.$this->template.'/js/touch.gallery.js');
$doc->addScript($this->baseurl.'/templates/'.$this->template.'/js/scripts.js');
?>
</body>
</html>
```