

```
### =====
### Security Enhanced & Highly Optimized .htaccess File for Joomla!
### automatically generated by Admin Tools 5.1.2 on 2018-06-08 07:05:35 UTC
### Auto-detected Apache version: 2.5 (best guess)
### =====
###
### The contents of this file are based on the same author's work "Master
### .htaccess".
###
### Admin Tools is Free Software, distributed under the terms of the GNU
### General Public License version 3 or, at your option, any later version
### published by the Free Software Foundation.
###
### !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!! IMPORTANT !!!!!!!!!!!!!!!!!!!!!!!!!!!!!
### !!                                !!
### !! If you get an Internal Server Error 500 or a blank page when trying !!
### !! to access your site, remove this file and try tweaking its settings !!
### !! in the back-end of the Admin Tools component.                        !!
### !!                                !!
### !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
###

##### RewriteEngine enabled - BEGIN
RewriteEngine On
##### RewriteEngine enabled - END

##### RewriteBase set - BEGIN
RewriteBase /
##### RewriteBase set - END

##### HTTP to HTTPS redirection
## Since you have enabled HSTS the first redirection rule will instruct the browser to visit the HTTPS version of
your
## site. This prevents unsafe redirections through HTTP.
RewriteCond %{HTTPS} !=on [OR]
RewriteCond %{HTTP:X-Forwarded-Proto} =http
RewriteRule .* https://www.buergerstiftung-rellingen.de%{REQUEST_URI} [L,R=301]

##### File execution order -- BEGIN
DirectoryIndex index.php index.html
##### File execution order -- END

##### Optimal default expiration time - BEGIN
<IfModule mod_expires.c>
    # Enable expiration control
    ExpiresActive On

    # CSS and JS expiration: 1 week after request
    ExpiresByType text/css "now plus 1 week"
    ExpiresByType application/javascript "now plus 1 week"
    ExpiresByType application/x-javascript "now plus 1 week"

    # Image files expiration: 1 month after request
    ExpiresByType image/bmp "now plus 1 month"
    ExpiresByType image/gif "now plus 1 month"
    ExpiresByType image/jpeg "now plus 1 month"
    ExpiresByType image/jp2 "now plus 1 month"
```

ExpiresByType image/pipe "now plus 1 month"
ExpiresByType image/png "now plus 1 month"
ExpiresByType image/svg+xml "now plus 1 month"
ExpiresByType image/tiff "now plus 1 month"
ExpiresByType image/vnd.microsoft.icon "now plus 1 month"
ExpiresByType image/x-icon "now plus 1 month"
ExpiresByType image/ico "now plus 1 month"
ExpiresByType image/icon "now plus 1 month"
ExpiresByType text/ico "now plus 1 month"
ExpiresByType application/ico "now plus 1 month"
ExpiresByType image/vnd.wap.wbmp "now plus 1 month"
ExpiresByType application/vnd.wap.wbxml "now plus 1 month"
ExpiresByType application/smil "now plus 1 month"

Font files expiration: 1 week after request

ExpiresByType application/vnd.ms-fontobject "now plus 1 week"
ExpiresByType application/x-font-ttf "now plus 1 week"
ExpiresByType application/x-font-opentype "now plus 1 week"
ExpiresByType application/x-font-woff "now plus 1 week"
ExpiresByType font/woff2 "now plus 1 week"
ExpiresByType image/svg+xml "now plus 1 week"

Audio files expiration: 1 month after request

ExpiresByType audio/ogg "now plus 1 month"
ExpiresByType application/ogg "now plus 1 month"
ExpiresByType audio/basic "now plus 1 month"
ExpiresByType audio/mid "now plus 1 month"
ExpiresByType audio/midi "now plus 1 month"
ExpiresByType audio/mpeg "now plus 1 month"
ExpiresByType audio/mp3 "now plus 1 month"
ExpiresByType audio/x-aiff "now plus 1 month"
ExpiresByType audio/x-mpegurl "now plus 1 month"
ExpiresByType audio/x-pn-realaudio "now plus 1 month"
ExpiresByType audio/x-wav "now plus 1 month"

Movie files expiration: 1 month after request

ExpiresByType application/x-shockwave-flash "now plus 1 month"
ExpiresByType x-world/x-vrml "now plus 1 month"
ExpiresByType video/x-msvideo "now plus 1 month"
ExpiresByType video/mpeg "now plus 1 month"
ExpiresByType video/mp4 "now plus 1 month"
ExpiresByType video/quicktime "now plus 1 month"
ExpiresByType video/x-la-asf "now plus 1 month"
ExpiresByType video/x-ms-asf "now plus 1 month"

</IfModule>

Optimal default expiration time - END

Common hacking tools and bandwidth hogs block -- BEGIN

SetEnvIf user-agent "WebBandit" stayout=1
SetEnvIf user-agent "webbandit" stayout=1
SetEnvIf user-agent "Acunetix" stayout=1
SetEnvIf user-agent "binlar" stayout=1
SetEnvIf user-agent "BlackWidow" stayout=1
SetEnvIf user-agent "Bolt 0" stayout=1
SetEnvIf user-agent "Bot mailto:craftbot@yahoo.com" stayout=1
SetEnvIf user-agent "BOT for JCE" stayout=1
SetEnvIf user-agent "casper" stayout=1

SetEnvIf user-agent "checkprivacy" stayout=1
SetEnvIf user-agent "ChinaClaw" stayout=1
SetEnvIf user-agent "clshttp" stayout=1
SetEnvIf user-agent "cmsworldmap" stayout=1
SetEnvIf user-agent "comodo" stayout=1
SetEnvIf user-agent "Custo" stayout=1
SetEnvIf user-agent "Default Browser 0" stayout=1
SetEnvIf user-agent "diavol" stayout=1
SetEnvIf user-agent "DIIbot" stayout=1
SetEnvIf user-agent "DISCo" stayout=1
SetEnvIf user-agent "dotbot" stayout=1
SetEnvIf user-agent "Download Demon" stayout=1
SetEnvIf user-agent "eCatch" stayout=1
SetEnvIf user-agent "EirGrabber" stayout=1
SetEnvIf user-agent "EmailCollector" stayout=1
SetEnvIf user-agent "EmailSiphon" stayout=1
SetEnvIf user-agent "EmailWolf" stayout=1
SetEnvIf user-agent "Express WebPictures" stayout=1
SetEnvIf user-agent "extract" stayout=1
SetEnvIf user-agent "ExtractorPro" stayout=1
SetEnvIf user-agent "EyeNetIE" stayout=1
SetEnvIf user-agent "feedfinder" stayout=1
SetEnvIf user-agent "FHscan" stayout=1
SetEnvIf user-agent "FlashGet" stayout=1
SetEnvIf user-agent "flicky" stayout=1
SetEnvIf user-agent "GetRight" stayout=1
SetEnvIf user-agent "GetWeb!" stayout=1
SetEnvIf user-agent "Go-Ahead-Got-It" stayout=1
SetEnvIf user-agent "Go!Zilla" stayout=1
SetEnvIf user-agent "grab" stayout=1
SetEnvIf user-agent "GrabNet" stayout=1
SetEnvIf user-agent "Grafula" stayout=1
SetEnvIf user-agent "harvest" stayout=1
SetEnvIf user-agent "HMView" stayout=1
SetEnvIf user-agent "ia_archiver" stayout=1
SetEnvIf user-agent "Image Stripper" stayout=1
SetEnvIf user-agent "Image Sucker" stayout=1
SetEnvIf user-agent "InterGET" stayout=1
SetEnvIf user-agent "Internet Ninja" stayout=1
SetEnvIf user-agent "InternetSeer.com" stayout=1
SetEnvIf user-agent "jakarta" stayout=1
SetEnvIf user-agent "Java" stayout=1
SetEnvIf user-agent "JetCar" stayout=1
SetEnvIf user-agent "JOC Web Spider" stayout=1
SetEnvIf user-agent "kmccrew" stayout=1
SetEnvIf user-agent "larbin" stayout=1
SetEnvIf user-agent "LeechFTP" stayout=1
SetEnvIf user-agent "libwww" stayout=1
SetEnvIf user-agent "Mass Downloader" stayout=1
SetEnvIf user-agent "Maxthon\$" stayout=1
SetEnvIf user-agent "microsoft.url" stayout=1
SetEnvIf user-agent "MIDown tool" stayout=1
SetEnvIf user-agent "miner" stayout=1
SetEnvIf user-agent "Mister PiX" stayout=1
SetEnvIf user-agent "NEWT" stayout=1
SetEnvIf user-agent "MSFrontPage" stayout=1
SetEnvIf user-agent "Navroad" stayout=1

SetEnvIf user-agent "NearSite" stayout=1
SetEnvIf user-agent "Net Vampire" stayout=1
SetEnvIf user-agent "NetAnts" stayout=1
SetEnvIf user-agent "NetSpider" stayout=1
SetEnvIf user-agent "NetZIP" stayout=1
SetEnvIf user-agent "nutch" stayout=1
SetEnvIf user-agent "Octopus" stayout=1
SetEnvIf user-agent "Offline Explorer" stayout=1
SetEnvIf user-agent "Offline Navigator" stayout=1
SetEnvIf user-agent "PageGrabber" stayout=1
SetEnvIf user-agent "Papa Foto" stayout=1
SetEnvIf user-agent "pavuk" stayout=1
SetEnvIf user-agent "pcBrowser" stayout=1
SetEnvIf user-agent "PeoplePal" stayout=1
SetEnvIf user-agent "planetnetwork" stayout=1
SetEnvIf user-agent "psbot" stayout=1
SetEnvIf user-agent "purebot" stayout=1
SetEnvIf user-agent "pycurl" stayout=1
SetEnvIf user-agent "RealDownload" stayout=1
SetEnvIf user-agent "ReGet" stayout=1
SetEnvIf user-agent "Rippers 0" stayout=1
SetEnvIf user-agent "SeaMonkey\$" stayout=1
SetEnvIf user-agent "sitecheck.internetseer.com" stayout=1
SetEnvIf user-agent "SiteSnagger" stayout=1
SetEnvIf user-agent "skygrid" stayout=1
SetEnvIf user-agent "SmartDownload" stayout=1
SetEnvIf user-agent "sucker" stayout=1
SetEnvIf user-agent "SuperBot" stayout=1
SetEnvIf user-agent "SuperHTTP" stayout=1
SetEnvIf user-agent "Surfbot" stayout=1
SetEnvIf user-agent "tAkeOut" stayout=1
SetEnvIf user-agent "Teleport Pro" stayout=1
SetEnvIf user-agent "Toata dragostea mea pentru diavola" stayout=1
SetEnvIf user-agent "turnit" stayout=1
SetEnvIf user-agent "vikspider" stayout=1
SetEnvIf user-agent "VoidEYE" stayout=1
SetEnvIf user-agent "Web Image Collector" stayout=1
SetEnvIf user-agent "Web Sucker" stayout=1
SetEnvIf user-agent "WebAuto" stayout=1
SetEnvIf user-agent "WebCopier" stayout=1
SetEnvIf user-agent "WebFetch" stayout=1
SetEnvIf user-agent "WebGo IS" stayout=1
SetEnvIf user-agent "WebLeacher" stayout=1
SetEnvIf user-agent "WebReaper" stayout=1
SetEnvIf user-agent "WebSauger" stayout=1
SetEnvIf user-agent "Website eXtractor" stayout=1
SetEnvIf user-agent "Website Quester" stayout=1
SetEnvIf user-agent "WebStripper" stayout=1
SetEnvIf user-agent "WebWhacker" stayout=1
SetEnvIf user-agent "WebZIP" stayout=1
SetEnvIf user-agent "Widow" stayout=1
SetEnvIf user-agent "WWW-Mechanize" stayout=1
SetEnvIf user-agent "WWWOFFLE" stayout=1
SetEnvIf user-agent "Xaldon WebSpider" stayout=1
SetEnvIf user-agent "Yandex" stayout=1
SetEnvIf user-agent "Zeus" stayout=1
SetEnvIf user-agent "zmeu" stayout=1

```
SetEnvIf user-agent "CazoodleBot" stayout=1
SetEnvIf user-agent "discobot" stayout=1
SetEnvIf user-agent "ecxi" stayout=1
SetEnvIf user-agent "GT::WWW" stayout=1
SetEnvIf user-agent "heritrix" stayout=1
SetEnvIf user-agent "HTTP::Lite" stayout=1
SetEnvIf user-agent "HTTrack" stayout=1
SetEnvIf user-agent "ia_archiver" stayout=1
SetEnvIf user-agent "id-search" stayout=1
SetEnvIf user-agent "id-search.org" stayout=1
SetEnvIf user-agent "IDBot" stayout=1
SetEnvIf user-agent "Indy Library" stayout=1
SetEnvIf user-agent "IRLbot" stayout=1
SetEnvIf user-agent "ISC Systems iRc Search 2.1" stayout=1
SetEnvIf user-agent "LinksManager.com_bot" stayout=1
SetEnvIf user-agent "linkwalker" stayout=1
SetEnvIf user-agent "lwp-trivial" stayout=1
SetEnvIf user-agent "MFC_Tear_Sample" stayout=1
SetEnvIf user-agent "Microsoft URL Control" stayout=1
SetEnvIf user-agent "Missigua Locator" stayout=1
SetEnvIf user-agent "panscient.com" stayout=1
SetEnvIf user-agent "PECL::HTTP" stayout=1
SetEnvIf user-agent "PHPCrawl" stayout=1
SetEnvIf user-agent "PleaseCrawl" stayout=1
SetEnvIf user-agent "SBIdr" stayout=1
SetEnvIf user-agent "Snoopy" stayout=1
SetEnvIf user-agent "Steeler" stayout=1
SetEnvIf user-agent "URI::Fetch" stayout=1
SetEnvIf user-agent "urllib" stayout=1
SetEnvIf user-agent "Web Sucker" stayout=1
SetEnvIf user-agent "webalta" stayout=1
SetEnvIf user-agent "WebCollage" stayout=1
SetEnvIf user-agent "Wells Search II" stayout=1
SetEnvIf user-agent "WEP Search" stayout=1
SetEnvIf user-agent "zermelo" stayout=1
SetEnvIf user-agent "ZyBorg" stayout=1
SetEnvIf user-agent "Indy Library" stayout=1
SetEnvIf user-agent "libwww-perl" stayout=1
SetEnvIf user-agent "Go!Zilla" stayout=1
SetEnvIf user-agent "TurnitinBot" stayout=1
<IfModule !mod_authz_core.c>
deny from env=stayout
</IfModule>
<IfModule mod_authz_core.c>
    <RequireAll>
        Require all granted
        Require not env stayout
    </RequireAll>
</IfModule>
##### Common hacking tools and bandwidth hogs block -- END

##### Automatic compression of resources -- BEGIN
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE text/plain text/xml text/css application/xml application/xhtml+xml
    application/rss+xml application/javascript application/x-javascript image/svg+xml
</IfModule>
```

```

<IfModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes
    mod_gzip_keep_workfiles No
    mod_gzip_can_negotiate Yes
    mod_gzip_add_header_count Yes
    mod_gzip_send_vary Yes
    mod_gzip_min_http 1000
    mod_gzip_minimum_file_size 300
    mod_gzip_maximum_file_size 512000
    mod_gzip_maximum_inmem_size 60000
    mod_gzip_handle_methods GET
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl|xml|rb|py|svg|scgz)$
    mod_gzip_item_include mime ^text/plain$
    mod_gzip_item_include mime ^text/xml$
    mod_gzip_item_include mime ^text/css$
    mod_gzip_item_include mime ^application/xml$
    mod_gzip_item_include mime ^application/xhtml+xml$
    mod_gzip_item_include mime ^application/rss+xml$
    mod_gzip_item_include mime ^application/javascript$
    mod_gzip_item_include mime ^application/x-javascript$
    mod_gzip_item_include mime ^image/svg+xml$
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
    mod_gzip_item_include handler ^cgi-script$
    mod_gzip_item_include handler ^server-status$
    mod_gzip_item_include handler ^server-info$
    mod_gzip_item_include handler ^application/x-httpd-php
    mod_gzip_item_exclude mime ^image/.
</ifmodule>

##### Automatic compression of resources -- END
## Force GZip compression for mangled Accept-Encoding headers
<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X{ 15 }|~{ 15 }|-{ 15 })$ ^((gzip|deflate)\s*,?\s*)+|[X~-]{ 4,13 }$ HAVE_Accept-Encoding
        RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
</IfModule>

##### Redirect non-www to www -- BEGIN
RewriteCond %{HTTP_HOST} !^www\. [NC]
RewriteRule ^(.*)$ https://www.%{HTTP_HOST}/$1 [R=301,L]
##### Redirect non-www to www -- END

##### Rewrite rules to block out some common exploits -- BEGIN
RewriteCond %{QUERY_STRING} proc/self/enviro [OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z_]{1,21}(=|\%3D) [OR]
RewriteCond %{QUERY_STRING} base64_(en|de)code\(.*\) [OR]
RewriteCond %{QUERY_STRING} (<|\%3C).*script.*(>|\%3E) [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=|\\[\\%[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=|\\[\\%[0-9A-Z]{0,2})
RewriteRule .* index.php [F]
##### Rewrite rules to block out some common exploits -- END
##### File injection protection -- BEGIN
RewriteCond %{REQUEST_METHOD} GET
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=http[s]?:// [OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=(\.\.//?)+ [OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=/([a-z0-9_./?)+ [NC]

```

```

RewriteRule .* - [F]
##### File injection protection -- END

##### Advanced server protection rules exceptions -- BEGIN
RewriteRule ^administrator/components/com_akeeba/restore\.php$ - [L]
RewriteRule ^administrator/components/com_joomlaupdate/restore\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !(\.php)$
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule ^\.well-known/ - [L]
##### Advanced server protection rules exceptions -- END

##### Advanced server protection -- BEGIN

## Disable PHP Easter Eggs
RewriteCond %{QUERY_STRING} \=PHP[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12} [NC]
RewriteRule .* - [F]
#### Back-end protection
RewriteRule ^administrator/?$ - [L]
RewriteRule ^administrator/index\.(php|html)?$ - [L]
RewriteRule
^administrator/(components|modules|templates|images|plugins)/.*\.(jpe|jpg|jpeg|jp2|jpe2|png|gif|bmp|css|js|swf|html|
mpg|mp3|mpeg|mp4|avi|wav|ogg|ogv|xls|xlsx|doc|docx|ppt|pptx|zip|rar|pdf|xps|txt|7z|svg|odt|ods|odp|flv|mov|htm|tft|
woff|woff2|eot|JPG|JPEG|PNG|GIF|CSS|JS|TTF|WOFF|WOFF2|EOT)$ - [L]
RewriteRule ^administrator/ - [F]
#### Front-end protection
## Allow limited access for certain directories with client-accessible content
RewriteRule
^(components|modules|templates|images|plugins|media|libraries|media/jui/fonts)/.*\.(jpe|jpg|jpeg|jp2|jpe2|png|gif|bm
p|css|js|swf|html|mpg|mp3|mpeg|mp4|avi|wav|ogg|ogv|xls|xlsx|doc|docx|ppt|pptx|zip|rar|pdf|xps|txt|7z|svg|odt|ods|odp|
flv|mov|ico|htm|tft|woff|woff2|eot|JPG|JPEG|PNG|GIF|CSS|JS|TTF|WOFF|WOFF2|EOT)$ - [L]
RewriteRule ^(components|modules|templates|images|plugins|media|libraries|media/jui/fonts)/ - [F]
## Disallow front-end access for certain Joomla! system directories (unless access to their files is allowed above)
RewriteRule ^includes/js/ - [L]
RewriteRule ^(cache|includes|language|logs|log|tmp)/ - [F]
RewriteRule
^(configuration\.php|CONTRIBUTING\.md|htaccess\.txt|joomla\.xml|LICENSE\.txt|phpunit\.xml|README\.txt|we
b\.config\.txt) - [F]

## Explicitly allow access to the site's index.php main entry point file
RewriteRule ^index.php(/.*){0,1}$ - [L]
## Explicitly allow access to the site's robots.txt file
RewriteRule ^robots.txt$ - [L]

## Disallow access to all other PHP files throughout the site, unless they are explicitly allowed
RewriteCond %{REQUEST_FILENAME} (\.php)$
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule (.*\.php)$ - [F]
## Disallow access to htaccess.txt, php.ini, .user.ini and configuration.php-dist
RewriteRule ^(htaccess\.txt|configuration\.php-dist|php\.ini|.user\.ini)$ - [F]
# Disallow access to all other front-end folders
RewriteCond %{REQUEST_FILENAME} -d
RewriteCond %{REQUEST_URI} !^/
RewriteRule .* - [F]

# Disallow access to all other front-end files
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule !^index.php$ - [F]

```

Remove Apache and PHP version signature

<IfModule mod_headers.c>

Header unset X-Powered-By

</IfModule>

ServerSignature Off

Advanced server protection -- END

HSTS Header - See http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security

<IfModule mod_headers.c>

Header always set Strict-Transport-Security "max-age=31536000" env=HTTPS

</IfModule>

Joomla! core SEF Section -- BEGIN

RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

RewriteCond %{REQUEST_URI} !^/index\.php

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_FILENAME} !-d

RewriteRule .* index.php [L]

Joomla! core SEF Section -- END